

**GOVERNMENT OF ANDHRA PRADESH
ABSTRACT**

Public Services - Irrigation & CAD Department – Disciplinary action initiated against Sri R. Satyanarayana Rao, Dy.EE(Retd.) for the irregularities noticed in execution of silt removal works in Bhagiratha Tank of Lokeswaram, Village & Mandal in Adilabad Dist. – Disciplinary proceedings concluded – Regularization of suspension period from 08.03.2007 to 16.10.2007 as “Not Duty” –Orders issued.

IRRIGATION & CAD (SER.VII (V&E)A1 DEPARTMENT
G.O.Rt.No. 207 **Dated: 04-03-2014**
Read the following:

- 1.From the Director General (Vig. & Enft.) & E.O. Prl. Secy. to Govt., G.A.D. Vigilance Report No.140(1187/V&E./E.1/2004), dt. 22-12-2004.
- 2.Proceedings No. E2/LG/84/335/9, dt. 7-3-2007 of the Supdt., I&CADD., Irrigation Circle, Nirmal.
3. G.O.Rt.No.369, I&CAD(Ser.VII(V&E-1)Dept, Dt. 29-03-2007.
4. Proceedings No. Rc/ENC/SII(1)/28913/2005, dt. 15-10-2007 of the Engineer-in-Chief(AW),I&CAD Dept., Hyd.
5. G.O.Rt.No. 1087,I&CAD(Ser.VII(V&E)A1) Dept., dt. 11-11-2013.
6. From Sri R. Sathyanarayana, Dy.EE(Retd.) Rept. dt. 14-11-2013.

* * *

ORDER:

In the reference 1st read above, it has been brought to the notice of the Government that certain Engineers of I & CAD Department have committed irregularities in execution of silt removal works in Bhagiratha Tank of Lokeswaram, Village & Mandal in Adilabad Dist. with a recommendation to initiate suitable departmental action against them.

- 1
2. In the reference 2nd read above, orders were issued placing Sri R. Satyanarayana Rao, Dy.EE under suspension w.e.f 08-03-2007 in connection with the above case.
3. After examining the entire matter, in the reference 3rd above disciplinary proceedings were initiated against Sri R. Satyanarayana Rao, Dy.EE by issuing Articles of charges inviting his WSD.
- 4 In the reference 4th read above, orders were issued revoking the orders of suspension of Sri R. Satyanarayana Rao, DY. Executive Engineer, without prejudice to the disciplinary proceedings pending against him and the individual was admitted to duty w.e.f 16-10-2007.
5. After following the procedure in vogue, in the reference 5th read above, the disciplinary proceedings initiated against Sri R. Satyanarayana Rao, Dy.EE were concluded imposing a penalty of 2% cut in pension permanently for the irregularities committed in execution of silt removal works in Bhagiratha Tank of Lokeswaram, Village & Mandal in Adilabad Dist.
6. In the reference 6th read above, Sri R. Satyanarayana, Dy.EE (Retd.) has informed that the disciplinary action was finalized and issued punishment vide reference 15th read above and the suspension period from 08-03-2007 to 16-10-2007(223 days) was not regularized. He has requested to regularize the suspension period from 08-03-2007 to 16-10-2007.
7. After careful examination of the entire matter, it has been decided to regularize the suspension period of Sri R. Sathyanarayana, Dy.EE(Retd.) from 08-03-2007 to 16-10-2007 “as not duty” under FR 54 - B. Accordingly,

::2::

Government hereby order to treat the suspension period of Sri R. Sathyanarayana Rao, Dy.EE (Retd.) from 08-03-2007 to 16-10-2007 “ as not duty” under FR 54-B.

8. The Engineer-in-Chief (AW), I & CAD Department, Hyderabad shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**K.S. JAWAHAR REDDY
SECRETARY TO GOVERNMENT**

To

Sri R. Satyanrayna Rao, Dy.EE (Retd.), **through** the Engineer-in-Chief (AW),
I&CAD Department., Hyderabad

The Engineer-in-Chief (AW), I&CAD Department., Hyderabad

Copy to:

I&CAD(Ser.I)Department

SC/SF

//FORWARDED : BY ORDER//

SECTION OFFICER